



HiPP Bio Combiotic Without Starch Stage 2 Organic Follow-on Infant Milk Formula (600g)

Age: 6+ Months

PREPARATION



Preparation for all powdered formulas (also consistent with United States, FDA guidelines):

1. Boil water freshly before each meal and allow to cool down to about 50°C (122° F) before mixing with formula.
2. Fill the clean and sterilized bottle with about half of the desired amount of water (see feeding chart below).
3. Fill the measuring scoop loose and level it with the back of a knife (note that scoop sizes vary by brand and even by stage).
4. Add the correct number of leveled scoops of powder (1 leveled scoop of powder per 1oz / 30ml of water).
5. Close the bottle and shake thoroughly. Add remaining water and shake well again.
6. Allow to cool down to approximately 37 °C (98.6° F) before feeding.

TIPS:

- ✓ Once you have opened the inner foil bag containing your formula, you should use it within 2 to 3 weeks.
- ✓ Avoid storing in an area of high heat or humidity.
- ✓ If the mixed formula is not consumed within an hour, you should discard it.
- ✓ Do not heat feeds in a microwave, hot spots may occur which could cause scalding.
- ✓ Please observe the preparation instructions and the dosage ratio exactly so that your baby always gets the nutrients it needs.
- ✓ Take care of the dental care from the very first tooth on and do not leave the bottle with your child to avoid continuous sucking.

FEEDING CHART

| Baby's Age | Made up Volume (ml / fl oz) | Water (ml / fl oz) | Powder (Scoops)* | Feeds per day |
|-----------------------------|-----------------------------|--------------------|------------------|---------------|
| After 6 th Month | 170 / 5.75 | 150 / 5.10 | 5 | 5 |
| | 200 / 6.75 | 180 / 6.10 | 6 | |
| | 235 / 7.75 | 210 / 7.10 | 7 | |

* 1 level measuring spoon = 4.5 g

The stated amounts of drinking and meals per day are only guidelines. Individual deviations are safe and all natural. 100 ml ready-to-drink food is made of 13.4 g HiPP Bio Combiotic Without Starch Stage 2 Organic Follow-on Infant Milk Formula and 90 ml boiled water. A pack yields about 45 meals of 100 ml of drinking volume (standard recipe).



INGREDIENTS

Skim Milk*, Lactose*, Vegetable Oils* (Palm Oil**, Rapeseed Oil*, Sunflower Oil*), **Whey Product***, Galactooligosaccharides* From **Lactose***, **Fish Oil**¹, Calcium Chloride, Potassium Citrate, Calcium Orthophosphates, Calcium Carbonate, L-Tyrosine L-Tryptophan, Sodium Citrate, Magnesium Carbonate, Vitamin C, Ferrous Sulfate, Stabilizer Lactic Acid, L-Cystine, Niacin, Zinc Oxide, Natural Lactic Acid Culture (Lactobacillus Fermentum Hereditum²), Vitamin E, Pantothenic Acid, Copper Sulfate, Vitamin A, Vitamin B1, Vitamin B6, Potassium Iodate, Folic Acid, Sodium Selenate, Manganese Sulfate, Vitamin K, Vitamin D, Biotin

* from organic production

** organic palm oil from sustainable cultivation certified by independent inspection bodies

1 contains DHA (as required by the legislation for all infant formula)

2 Lactobacillus fermentum CECT5716

ALLERGENS

Milk, Whey Powder, Lactose, Fish Oil

NUTRITION FACTS

| Nutrition Information | Per 100 ml | Nutrition Information | Per 100 ml |
|----------------------------------|------------------|-----------------------|------------|
| Energy | 285 kJ / 68 kcal | Iron | 1.0 mg |
| Fat of which: | 3.7 g | Zinc | 0.50 mg |
| -Saturated fatty acids | 1.6 g | Copper | 0.054 mg |
| -Monosaturated fatty acids | 1.6 g | Manganese | 0.0070 mg |
| -Polyunsaturated fatty acids | 0.5 g | Flouride | < 0.010 mg |
| Linolenic acid (Omega-3) | 0.06 g | Selenium | 3.9 µg |
| DHA | 13.6 mg | Iodine | 15 µg |
| Linoleic acid (Omega-6) | 0.42 g | Vitamin A | 56 µg |
| Carbohydrates of which: | 7.2 g | Vitamin D | 1.6 µg |
| -Sugar | 6.0 g | Vitamin E | 0.80 mg |
| of which lactose | 5.8 g | Vitamin K | 3.1 µg |
| Fibre | 0.4 g | Vitamin C | 10 mg |
| of which galactooligosaccharides | 0.4 g | Vitamin B1 | 0.037 mg |
| Protein | 1.3 g | Vitamin B2 | 0.14 mg |
| Sodium | 20 mg | Niacin | 0.53 mg |
| Potassium | 84 mg | Vitamin B6 | 0.042 mg |
| Chloride | 52 mg | Folic Acid | 10 µg |
| Calcium | 70 mg | Vitamin B12 | 0.10 µg |
| Phosphorus | 40 mg | Biotin | 1.6 µg |
| Magnesium | 6.3 mg | Pantothenic acid | 0.35 mg |